



Contribution ID: 99 Contribution code: S11-EPASE-211

Type: **Poster presentation**

Formation of Silver Selenide and Copper Selenide synthesized by Pack Cementation and Mechanical alloying processes

Monday, 29 August 2022 18:00 (1h 30m)

There is a strong demand for new energy sources due to the growing population and limited natural resources. Among the different renewable energy resources, thermoelectric material plays a key role. Selenides compounds, such as Ag_2Se and Cu_2Se , have received a lot of attention because of their interesting properties, low toxicity, and abundance. Particularly, Ag, Cu, and Se are less toxic than Bi, Pb, Sb, and Te, while Se is about 10 times more abundant than Te. High-energy ball milling^{1,2}, (HEBM) process is a powerful solid-state synthesis/powder mechanical alloying method. Chemical Vapor Deposition by Pack Cementation (CVDPC) is an ideal synthesis procedure because it is simple, easily controllable and inexpensive. The objective of this work is to synthesize Ag_2Se and Cu_2Se compounds by using two different techniques: HEBM and CVDPC processes. In HEBM a series of experiments were carried out by various milling times (from 1h to 20 hrs). In CVDPC process two different deposition times (3 and 4 hours) was selected at 238°C heating temperature.

The structural and morphological characterization of the selenides were studied by Fourier Transform Infrared Spectroscopy, X-ray Diffraction, X-ray Photoelectron Spectroscopy and Scanning Electron Microscopy. It was found that the selenides were successfully synthesized by HEBM and pack cementation process.

Acknowledgments: This research was carried out as part of the project «Design and implementation of innovative lift's air-conditioning systems by using thermoelectric devices» (Project code: KMP6-0074109) under the framework of the Action «Investment Plans of Innovation» of the Operational Program «Central Macedonia 2014 2020», that is co-funded by the European Regional Development Fund and Greece.

References

1. W.K. Min et al., Materials Science Forum, 534-536 (2007).
2. C. Lee et al., J Appl. Phys. 101, 024920 (2007)
3. D. Stathokostopoulos et al., Results in Materials 13, 00252 (2022)

Primary authors: STATHOKOSTOPOULOS, Dimitrios (Aristotle University of Thessaloniki); Dr TARANI, Evangelia (School of Physics, Faculty of Science, Aristotle University Thessaloniki); Dr MALLETZIDOU, Lamprini (Aristotle University of Thessaloniki, School of Physics, Faculty of Sciences); Dr SFAMPA, Ioanna (KLEEMANN Group R&D, Innovation Department, Industrial Area of Kilkis, PO Box 25, 611 00, Kilkis, Greece); Prof. STERGIODI, Fani (Aristotle University of Thessaloniki, School of Engineering, Mechanical Engineering Department); Prof. MICHAELIDIS, Nikolaos (Aristotle University of Thessaloniki, School of Engineering, Mechanical Engineering Department); Prof. CHRISAFIS, Konstantinos (Aristotle University of Thessaloniki, School of Physics, Faculty of Sciences); Prof. VOURLIAS, George (Aristotle University of Thessaloniki, School of Physics, Faculty of Sciences)

Presenter: STATHOKOSTOPOULOS, Dimitrios (Aristotle University of Thessaloniki)

Session Classification: Poster session

Track Classification: Scientific Sections: S11 Environmental Physics – Alternative Sources of Energy